



The Medical Bulletin of Haseki

2021

Volume 59

Issue 4
September

The Medical Bulletin of Haseki

Editorial Board



Editor-in-Chief

Akif Erbin

University of Health Sciences Turkey, Haseki Training and Research Hospital, Clinic of Urology, Istanbul, Turkey

E-mail: akiferbin@hotmail.com

ORCID ID: orcid.org/0000-0001-7147-8288

Associate Editors

Serhat Karadag

University of Health Sciences Turkey, Haseki Training and Research Hospital, Clinic of Nephrology, Istanbul, Turkey

E-mail: serhatkaradag@gmail.com

ORCID ID: orcid.org/0000-0001-9535-5063

Birgul Bastan Tuzun

University of Health Sciences Turkey, Haseki Training and Research Hospital, Clinic of Neurology, Istanbul, Turkey

E-mail: birgulbastan@gmail.com

ORCID ID: orcid.org/0000-0002-8285-4901

Mehmet Mustafa Can

University of Health Sciences Turkey, Haseki Training and Research Hospital, Department of Cardiology, Istanbul, Turkey

E-mail: mehmetmustafacan@yahoo.com

ORCID ID: orcid.org/0000-0003-2602-6594

Hasan Tahsin Gozdas

Abant İzzet Baysal University, Faculty of Medicine, Department of Infectious diseases, Bolu, Turkey

E-mail: dr.htgozdas@yahoo.com.tr

ORCID ID: orcid.org/0000-0003-3857-685X

Statistical Editor

Ahmet Dirican

Istanbul Üniversitesi İstanbul Tıp Fakültesi, Biyoistatistik ve Tıp Bilişimi Anabilim Dalı, İstanbul, Türkiye

English Language Editor

Teoman Akçay

Istanbul, Türkiye

Reviewing the articles' conformity to the publishing standards of the Journal, typesetting, reviewing and editing the manuscripts and abstracts in English, creating links to source data, and publishing process are realized by Galenos.

All rights are reserved. Rights to the use and reproduction, including in the electronic media, of all communications, papers, photographs and illustrations appearing in this journal belong to the The Medical Bulletin of University of Health Sciences Haseki Training and Research Hospital. Reproduction without prior written permission of part or all of any material is forbidden. The journal complies with the Professional Principles of the Press.



Galenos Publishing House Owner and Publisher
Derya Mor
Erkan Mor

Publication Coordinator
Burak Sever

Web Coordinators
Fuat Hocalar
Turgay Akpınar

Graphics Department
Ayda Alaca
Çiğdem Birinci
Gülşah Özgül

Finance Coordinator
Sevinç Çakmak

Project Coordinators

Aysel Balta
Duygu Yıldırım
Gamze Aksoy
Gülşah Akın
Hatice Sever
Melike Eren
Meltem Acar
Özlem Çelik Çekil
Pınar Akpınar
Rabia Palazoğlu

Research&Development

Nihan Karamanlı
Melisa Yiğitoğlu

Digital Marketing Specialist
Seher Altundemir

Publisher Contact

Address: Molla Gürani Mah. Kaçamak Sk. No: 21/1

34093 İstanbul, Türkiye

Phone: +90 (212) 621 99 25

Fax: +90 (212) 621 99 27

E-mail: info@galenos.com.tr/yayin@galenos.com.tr

Web: www.galenos.com.tr

Publisher Certificate Number: 14521

Online Publishing Date: September 2021

ISSN: 1302-0072 E-ISSN: 2147-2688

Üç ayda bir yayımlanan süreli yayındır.

International scientific journal published quarterly.



The Medical Bulletin of Haseki

Scientific Advisory Board

Richard J Johnson

Department of Renal Diseases and Hypertension, Colorado University Anschutz Medical Campus, Aurora Colorado, USA

David Goldsmith

Professor and Emeritus Consultant Nephrologist, Renal Unit, Guy's and St Thomas' Hospital London, UK

Adrian Covic

Department of Internal Medicine (Nephrology), Grigore T. Popa University of Medicine and Pharmacy, Iasi, Romania

Rumeyza Kazancioglu

Bezmialem Vakif University Faculty of Medicine, Department of Internal Medicine, Division of Nephrology, Istanbul, Turkey

Alaaddin Yildiz

Istanbul University Faculty of Medicine, Department of Internal Medicine, Division of Nephrology, Istanbul, Turkey

Suleyman Tevfik Ecder

Istanbul Science University Faculty of Medicine, Department of Internal Medicine, Division of Nephrology, Istanbul, Turkey

Mehmet Kanbay

Koc University Faculty of Medicine, Department of Internal Medicine, Division of Nephrology, Istanbul, Turkey

Sule Poturoglu

University of Health Sciences Turkey, Basaksehir Cam ve Sakura City Hospital, Clinic of Internal Medicine, Division of Gastroenterology, Istanbul, Turkey

Evrin Cakir

University of Health Sciences Turkey, Haseki Training and Research Hospital, Clinic of Internal Medicine, Division of Endocrinology, Istanbul, Turkey

Ozgur Tanriverdi

Mugla Sitki Kocman University Faculty of Medicine, Department of Internal Diseases, Division of Medical Oncology, Mugla, Turkey

Hayriye Esra Ataoglu

University of Health Sciences Turkey, Haseki Training and Research Hospital, Clinic of General Internal Medicine, Istanbul, Turkey

Zeynep Karaali

University of Health Sciences Turkey, Basaksehir Cam ve Sakura City Hospital, Clinic of General Internal Medicine, Istanbul, Turkey

Mustafa Yenigun

Medical Park Hospital, Clinic of General Internal Medicine, Istanbul, Turkey

Abdulkali Kumbasar

University of Health Sciences Turkey, Kanuni Sultan Suleyman Training and Research Hospital, Clinic of General Internal Medicine, Istanbul, Turkey

Aydin Alper

Koc University Faculty of Medicine, Department of General Surgery, Istanbul, Turkey

Vahit Ozmen

Istanbul University Faculty of Medicine, Department of General Surgery, Istanbul, Turkey

Gokcen Orhan

Siyami Ersek Chest and Cardiovascular Surgery Hospital, Clinic of Cardiovascular Surgery, Istanbul, Turkey

Deniz Goksedef

Istanbul University Cerrahpasa-Cerrahpasa Medical Faculty, Department of Cardiovascular Surgery, Istanbul, Turkey

Jose L. Peiró

Department of Pediatric General and Thoracic Surgery, Cincinnati University Faculty of Medicine, Cincinnati, USA

Celalettin Ibrahim Kocaturk

Yedikule Chest Diseases and Thoracic Surgery Training and Research Hospital, Clinic of Chest Surgery, Istanbul, Turkey

Soner Duru

Duzce University Faculty of Medicine, Department of Brain and Nerve Surgery, Duzce, Turkey

Pakizer Banu Kiliçoğlu Dane

Bezmialem Vakif University Faculty of Medicine, Department of Obstetrics and Gynecology, Istanbul, Turkey

Ates Kadioglu

Istanbul University Faculty of Medicine, Department of Urology, Istanbul, Turkey

Ahmet Yaser Muslumanoglu

University of Health Sciences Turkey, Bagcilar Training and Research Hospital, Clinic of Urology, Istanbul, Turkey

Murat Binbay

Hasan Kalyoncu University Faculty of Medicine, Department of Urology, Istanbul, Turkey

Orhan Ozturan

Bezmialem Vakif University Faculty of Medicine, Department of Otorhinolaryngology, Istanbul, Turkey

Husamettin Yasar

University of Health Sciences Turkey, Haseki Training and Research Hospital, Clinic of Otorhinolaryngology, Istanbul, Turkey

Fadlullah Aksoy

Bezmialem Vakif University Faculty of Medicine, Department of Otorhinolaryngology, Istanbul, Turkey

Murat Haluk Ozkul

Kemerburgaz University Faculty of Medicine, Department of Otorhinolaryngology, Istanbul, Turkey

Fatma Nilufer Alparslan Sansoy

Istanbul University-Istanbul Medical Faculty, Department of Ophthalmology, Istanbul, Turkey

Mahmut Ercan Cetinus

Istanbul Kemerburgaz University Faculty of Medicine, Department of Orthopedics and Traumatology, Istanbul, Turkey

Irfan Ozturk

Florence Nightingale Hospital, Clinic of Orthopedics and Traumatology, Istanbul, Turkey

Lutfi Telci

Acibadem Hospital, Clinic of Anesthesia and Reanimation, Turkey

Erdem Tuzun

Istanbul University Aziz Sancar Experimental Research Institute, Department of Neuroscience, Istanbul, Turkey

The Medical Bulletin of Haseki

Scientific Advisory Board



Ayşe Özlem Cokar

University of Health Sciences Turkey, Haseki Training and Research Hospital, Clinic of Neurology, Istanbul, Turkey

Murat Eevli

University of Health Sciences Turkey, Haseki Training and Research Hospital, Clinic of Child Health and Diseases, Istanbul, Turkey

Saliha Senel

Ankara Yıldırım Beyazıt University Faculty of Medicine, Department of Child Health and Diseases, Ankara, Turkey

Mahmut Civilibal

Istanbul Kemerburgaz University Faculty of Medicine, Department of Child Health and Diseases, Division of Pediatric Nephrology, Istanbul, Turkey

Bulent Enis Sekerel

Hacettepe University Faculty of Medicine, Department of Child Health and Diseases, Division of Pediatric Allergy and Asthma, Ankara, Turkey

Demirhan Diracoglu

Istanbul University-Istanbul Faculty of Medicine, Department of Physiotherapy and Rehabilitation, Istanbul, Turkey

Dilsad Sindel

Istanbul University Faculty of Medicine, Department of Physical Therapy and Rehabilitation, Istanbul, Turkey

Emine Dervis

Gaziosmanpasa Hospital, Clinic of Dermatology, Istanbul, Turkey

Zafer Turkoglu

University of Health Sciences Turkey, Basakşehir Cam ve Sakura City Hospital, Clinic of Dermatology, Istanbul, Turkey

Nahide Onsun

Bezmialem Vakıf University Faculty of Medicine, Department of Dermatology, Istanbul, Turkey

Bulent Acunas

Istanbul University-Istanbul Faculty of Medicine, Department of Radiology, Interventional Radiology, Istanbul, Turkey

Nuri Cagatay Cimsit

Marmara University Faculty of Medicine, Department of Radiology, Istanbul, Turkey

Baris Bakir

Istanbul University-Istanbul Faculty of Medicine, Department of Radiology, Istanbul, Turkey

Ozgur Sogut

University of Health Sciences Turkey, Haseki Training and Research Hospital, Clinic of Emergency Medicine, Istanbul, Turkey

Zehra Zerrin Erkol

Abant İzzet Baysal University Faculty of Medicine, Department of Forensic Medicine, Bolu, Turkey

Pelin Bagci

Marmara University Faculty of Medicine, Department of Pathology, Istanbul, Turkey

Halide Nur Urer

University of Health Sciences Turkey, Yedikule Chest Diseases and Thoracic Surgery Training and Research Hospital, Clinic of Pathology, Istanbul, Turkey

Macit Koldas

University of Health Sciences Turkey, Haseki Training and Research Hospital, Clinic of Medical Biochemistry, Istanbul, Turkey

Alev Kural

University of Health Sciences Turkey, Bakırköy Dr. Sadi Konuk Training and Research Hospital, Clinic of Medical Biochemistry, Istanbul, Turkey

Fikriye Uras

Marmara University Faculty of Pharmacy, Department of Medical Biochemistry, Istanbul, Turkey



The Medical Bulletin of Haseki

Aims and Scope

The Medical Bulletin of Haseki is the official scientific journal of the University of Health Sciences Haseki Training and Research Hospital. It covers subjects on general medicine, published both in Turkish and English, and is independent, peer-reviewed, international periodical and is published quarterly (January, March, June, September and November).

The aim of The Medical Bulletin of Haseki is to publish original research papers of highest scientific and clinic value on general medicine. Additionally, educational material reviews on basic developments, editorial short notes and case reports are published.

The Medical Bulletin of Haseki is indexed in **Emerging Sources Citation Index (ESCI), Index Copernicus, EBSCO Database, Turkish Medline-National Citation Index, Excerpta Medica/EMBASE, SCOPUS, TÜBİTAK/ULAKBİM Türk Tıp Dizini, CINAHL, DOAJ, Hinari, GOALI, ARDI, OARE, AGORA, ProQuest, ROOT INDEXING, British Library, J-Gate, IdealOnline ve Türkiye Atf Dizini** databases.

Open Access Policy

This journal provides immediate open access to its content on the principle that making research freely available to the public supports a greater global exchange of knowledge.

Open Access Policy is based on rules of Budapest Open Access Initiative (BOAI) <http://www.budapestopenaccessinitiative.org/>.

By "open access" to [peer-reviewed research literature], we mean its free availability on the public internet, permitting any users to read, download, copy, distribute, print, search, or link to the full texts of these articles, crawl them for indexing, pass them as data to software, or use them for any other lawful purpose, without financial, legal, or technical barriers other than those inseparable from gaining access to the internet itself. The only constraint on reproduction and distribution, and the only role for copyright in this domain, should be to give authors control over the integrity of their work and the right to be properly acknowledged and cited.

This work is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.

Subscription Information

The Medical Bulletin of Haseki is distributed free of charge to the subscribers in University of Health Sciences Haseki Training and Research Hospital. All notice of change of address should be sent to the editorial officer as immediate as possible. Subscribers, who did not receive an issue within the related period, should inform the editorial officer accordingly. All published volumes in full text can be obtained free of charge at www.hasekidergisi.com. Nonmembers who wish to subscribe to the journal should apply to the secretariat of The Medical Bulletin of Haseki, University of Health Sciences Haseki Training and Research Hospital.

Address

University of Health Sciences Haseki Training and Research Hospital
Secretariat of The Medical Bulletin of Haseki
Adnan Adıvar Caddesi, 34906 Haseki-Aksaray-İstanbul-Turkey
Phone: +90 212 529 44 00/1874
Fax: +90 212 530 84 23
Web Page: www.hasekidergisi.com

E-mail: hasekidergisi@gmail.com

Permissions

Request for permission for reproduction of the published materials should be made to the editorial office.

Editor in Chief: Akif Erbin

University of Health Sciences Haseki Training and Research Hospital, Clinic of Urology

Phone: +90 212 529 44 00/1133

Fax: +90 212 530 84 23

Web Page: www.hasekidergisi.com

E-mail: hasekidergisi@gmail.com

Advertisement

Applications concerning advertisement should be addressed to the Associate Editor.

Haseki Training and Research Hospital

Secretariat of The Medical Bulletin of Haseki

Adnan Adıvar Caddesi, 34906 Haseki-Aksaray-İstanbul-Turkey

Phone: +90 212 529 44 00/1874

Fax: +90 212 530 84 23

Web Page: www.hasekidergisi.com

E-mail: hasekidergisi@gmail.com

Publisher Corresponding Address

Galenos Yayınevi Tic. Ltd. Şti.

Molla Gürani Mahallesi Kaçamak Sokak No: 21 34093

Findıkzade - İstanbul - Türkiye

Phone: +90 212 621 99 25

Fax: +90 212 621 99 27

E-mail: info@galenos.com.tr

Instructions for Authors

Instructions for authors are published in the journal and may be obtained from www.hasekidergisi.com

Material Disclaimer

The opinions and reports published in The Medical Bulletin of Haseki are those of the author(s), and not of the Editor, Editorial Publishing Directors or the Publisher. The author(s) is (are) responsible from the articles published in the Haseki Medical Bulletin. The Editor, Editorial Board and the Publisher do not accept any responsibility.

OPEN  ACCESS



The Medical Bulletin of Haseki

Instruction to Authors

The Medical Bulletin of Haseki publishes papers on all aspects of general medicine. In addition to original articles, review articles, original case reports, letters to the editor and announcements of congress and meetings are also published. The scientific board guiding the selection of the papers to be published in the journal consists of elected experts of the journal and if necessary, is selected from national and international authorities.

Turkish language Institution dictionary and orthography guide should be taken as a basis for the literary language. Papers written in English language are particularly supported and encouraged.

Ethical committee approval may be requested by the Editor or Associate Editors for clinical research studies. Authors are responsible for the contents of the manuscripts and for the accuracy of the references.

The authors should guarantee that the manuscripts have not been previously published and/or are under consideration for publication elsewhere. Only those data presented at scientific meetings in form of abstract which do not exceed 200 words may be accepted for consideration, however, the date, name and place of the meeting in which the paper was presented should be stated. The signed statement of scientific contributions and responsibilities of all authors, and statement on the absence of conflict of interests are required. All manuscripts are reviewed by the editor, related associate editor and at least three experts/referees. The authors of the accepted for publication manuscripts should agree that the editor and the associate editors can make corrections on condition that there are no changes in the main text of the paper. Manuscript format should be in accordance with Uniform Requirements for Manuscripts Submitted to Biomedical Journals: Writing and Editing for Biomedical Publication [available at <http://www.icmje.org/>]

The Medical Bulletin of Haseki does not charge any article submission or processing charges.

The journal should be abbreviated as Med Bull Haseki when referenced.

General Guidelines

Manuscripts are accepted only online and can be submitted electronically through web site (<http://hasekitip.dergisi.org>) after creating an account. This system allows online submission and review.

The ORCID (Open Researcher and Contributor ID) number of the correspondence author should be provided while sending the manuscript. A free registration can create at <http://orcid.org>.

The manuscripts gathered with this system are archived according to ICMJE-www.icmje.org, Index Medicus (Medline/PubMed) and Ulakbim-Turkish Medicine Index Rules. Rejected manuscripts, except artworks are not returned.

Articles sent to the editor for publication should be written single-sided on A4 pages, double-spaced in 12-point, arial/times, new roman font and with 2.5 cm margins. Abbreviations must be explained clearly in parentheses in their first instance within the text and custom abbreviations should not be used. Numbers 1 to 10 should be given as text (in the two treatment groups the second day) and numbers 11 or bigger given as numbers. However, numbers 1-10 with a descriptive suffix should be given with numbers (1 year) while numbers that start sentences (Fifteen-year-old female patient) should be given as text. The manuscript should not exceed 5000 words in total. All pages of the manuscript should be numbered at the top right-hand corner, except for the title page. Papers should include the necessary number of tables and figures in order to provide better understanding.

The rules for the title page, references, figures and tables are valid for all types of articles published in this journal.

Patients have a right to privacy. When not essential, identifying information, patient names and photographs should not be published, unless the written informed consent of the patient (parent or guardian) has been given.

The patient should, therefore, be given a draft of the paper in order to obtain written informed consent. When not necessary, any identifying details of the patient should not be published. Complete anonymity is difficult to attain, however, informed consent should be obtained if any doubt exists. For example, masking the eye region of a patient's photograph provides incomplete anonymity.

For the experimental, clinical and drug studies having the obligation of being approved by ethical committee and being sent in order to be published in The Medical Bulletin of Haseki, ethical committee approval report being in accordance with the international agreements with Helsinki Declaration revised 2013 is required (<http://www.wma.net/en/30publications/10policies/b3/>). In experimental animal studies, the authors should indicate that the procedures followed were in accordance with animal rights (Guide for the care and use of laboratory animals. (<https://oacu.oir.nih.gov/regulations-standards>) and they should obtain animal ethics committee approval. The approval of the ethical committee including approval number and the fact that the "informed consent" is given by the patients should be indicated in the "Methods" section. Authors should declare the conflict of interest concerning their articles and the financial supports.

Original Articles

1) Title Page: This page should include the titles of the manuscripts, information about the author(s), key words and running titles.

For papers in Turkish language, a title in English should be included. Similarly, articles in English should include a title in Turkish. Key words in English and Turkish, and running titles should also be included in the title page.

The names, affiliated institutions and full addresses of the authors should be given. The author to whom correspondence is to be addressed should be indicated separately. As e-mail addresses will be used preferentially for communication, the e-mail address of the corresponding author should be stated. In addition, telephone and fax numbers must be notified.

If the content of the paper has been presented before, and if the summary has been published, the time and place of the conference should be denoted on this page.

If any grants or other financial support has been given by any institutions or firms for the study, information must be provided by the authors.

2) Summary: In the second page, summaries of the manuscripts (maximum 200 words for each) and the key words in Turkish and English language should be given.

The Summary Should Consist of the Following Sub Sections: Aim, Methods, Results, Conclusion. Separate sections are not used in the summaries of the review articles, case reports and educational articles. For these articles, the summaries should not exceed 200 words and include the scope and aims of the study, the salient findings and conclusions.

The references should not be cited in the summary section. As far as possible, use of abbreviations are to be avoided. Any abbreviations used must be taken into consideration independently of the abbreviations used in the text.

3) Text (From the according to the length of the summaries)

Please follow the instructions in "general guidelines."

The Main Headings of the Text Should be as Follows: Introduction, Methods, Results, Discussion, Study Limitations and Conclusion.

The introduction should include the rationale for investigation and the background of the present study. Results of the study should not be discussed in this part.

"Materials and methods" section should be presented in sufficient details to permit the repetition of the work. The statistical methods used should be clearly indicated.

Results should also be given in detail to allow the reproduction of the study.

The Discussion section should provide a correct and thorough interpretation of the results. The references should be directly related to the findings of the authors.

Study Limitation should be detailed in the section.

Conclusion section should provide highlighted and interpreted with the study's new and important findings.

Acknowledgements should be as brief as possible. Any support should be acknowledged in this section. (Acknowledgements should be only send with the "Cover Page".)

The excessive use of abbreviations is to be avoided. All abbreviations should be defined when first used by placing them in brackets after the full term. Abbreviations made in the abstract and in the text are taken into consideration separately. Abbreviations of the full terms stated in the abstract must be re-abbreviated after the same full term in the text.

4) References:

Accuracy of reference data is the author's responsibility. References should be numbered according to the consecutive citation in the text. References should be indicated in brackets in the text.

Personal communications, unpublished data and submitted manuscripts must be cited, not in this section, but in the text as "(name(s), unpublished data, 19)".

The reference list should be typed on a separate page at the end of the manuscript. If there are more than 6 authors, abbreviation of "et al." should be used for the authors out of the first three. Journal titles should be abbreviated according to the style used in the Index Medicus. All the references should be written according to the Vancouver system as follows:

a) Standard Journal Article: Intiso D, Santilli V, Grasso MG, Rossi R, Caruso I. Rehabilitation of walking with electromyographic biofeedback in foot-drop after stroke. *Stroke* 1994;25:1189-92.

b) Book: Getzen TE. Health economics: fundamentals of funds. New York: John Wiley & Sons; 1997.

c) Chapter of a Book: Porter RJ, Meldrum BS. Antiepileptic drugs. In: Katzung BG, editor. Basic and clinical pharmacology. 6th ed. Norwalk, CN: Appleton and Lange; 1995. p. 361-80.

If more than one editor: editors.

d) Conference Papers: Bengtsson S, Solheim BG. Enforcement of data protection, privacy and security in medical informatics. In: Lun KC, Degoulet P, Piemme TE, Reinhoff O, editors. MEDINFO 92. Proceedings of the 7th World Congress on Medical Informatics; 1992 Sep 6-10; Geneva, Switzerland: North-Holland; 1992. p. 1561-5.

e) Journal on the Internet: Morse SS. Factors in the emergence of infectious disease. *Emerg Infect Dis* [serial online] 1995 1(1):124 screens. Available from: URL <http://www.cdc.gov/nidoc/EID/eid.htm>. Accessed December 25, 1999.

f) Thesis: Kaplan SI. Post-hospital home health care: the elderly access and utilization (thesis). St. Louis (MO): Washington Univ; 1995.

5) Tables, Graphics, Figures and Pictures: All tables, graphics or figures should be presented on a separate sheet. All should be numbered consecutively according to their place in the text and a brief descriptive caption should be given. Abbreviations used should be explained further in the figure's legend. The text of tables especially should be easily understandable and should not repeat the data of the main text. Illustrations already published are acceptable if supplied by permission of the authors for publication. Photographs should be printed on glossy paper. Figures should be done professionally and no grey colors should be used.

Special Sections

1) Reviews: All reviews within the scope of the journal will be taken into consideration by the editors; also the editors may solicit a review related to the scope of the journal from any specialist and experienced authority in the field.

2) Case Reports: Case reports should present important and rare clinical experiences. They should consist of the following parts: introduction, case, discussion.

3) Letters to the Editor: These are views about articles published in this journal. The editor may request responses to the letters. There are no separate sections in the text.

Correspondence

For all correspondence with the editorial board, mail or e-mail addresses given below may be used.

Editor of The Medical Bulletin of Haseki

Haseki Training and Research Hospital, Department of Nephrology

Adnan Advar Caddesi, 34906 Haseki-Aksaray-Istanbul-Turkey

Phone: +90 212 529 44 00/1874

Fax: +90 212 530 84 23

Web Page: www.hasekidergisi.com

E-mail: hasekidergisi@gmail.com



The Medical Bulletin of Haseki

Contents

Original Article

- 268 Effects of Fibrin Glue, 2-Octyl Cyanoacrylate, and N-Butyl Cyanoacrylate on Cartilage Healing: An Experimental Animal Study**
Deniz Hanci, Huseyin Altun, Onur Ustun, Dilara Zeybek, Berk Gulpinar, Yavuz Uyar; Istanbul, Ankara, Turkey
- 273 Development of a New and Simple Postoperative Pain Fear Scale for Elective Surgeries in Adults Patients**
Seher Unver, Fatma Nesrin Turan; Edirne, Turkey
- 280 Evaluation of Fibrosis and Histopathological Changes in the Psoas Muscle with E- Cadherin, Claudin-5 Expression and Demographic Data: An Autopsy Study**
Havva Erdem, Hacer Yasar Teke, Yusuf Sahin; Ordu, Turkey
- 286 Emergency Physicians' Knowledge and Attitudes Towards Childhood Traumatic Tooth Avulsion in Turkey: A Multicenter Questionnaire-Based Cross-Sectional Study**
Basak Kiziltan Eliacik, Burcu Genc Yavuz; Istanbul, Turkey
- 295 Plasma Native Thiol and Lipid Hydroperoxide Levels in the Patients with A Non-Aura Migraine Attack Admitted to the Emergency Department: A Case-Control Study**
Mehmet Tahir Gokdemir, Ozgur Sogut, Cihan Gul, Elif Demir, Huseyin Ergenc; Batman, Istanbul, Sanliurfa, Turkey
- 302 The Impact of Body Mass Index on Intraoperative Blood Loss, Blood Transfusion and Fluid Management in Patients Undergoing Liver Transplantation: A Retrospective Analysis from a Tertiary Referral Center**
Tumay Uludag Yanaral, Pelin Karaaslan; Istanbul, Turkey
- 308 Endocan and Asymmetric Dimethylarginine as an Etiological Indicator in the Maternal and Umbilical Cord Serum in Pre-Eclampsia**
Nihal Inandikloglu, Emre Baser, Demet Aydogan Kirmizi; Yozgat, Turkey
- 313 Risk Factors and Seroprevalence of Syphilis Among Naive HIV Patients: A Cross-Sectional Study From a Tertiary Center**
Hulya Ozkan Ozdemir, Selma Tosun, Ilter Bozaci; Izmir, Manisa, Turkey
- 319 The Effect of Prone Position on the Integrated Pulmonary Index (IPI) Score in Lumbar Disc Surgeries Performed with Spinal Anesthesia**
Sule Batcik, Osman Ersegun Batcik; Rize, Turkey
- 324 Thiol Disulfide Homeostasis of Pediatric Oncology Patients After the Positron Emission Tomography/Computerized Tomography Imaging: A Cross-Sectional Study**
Nilgun Eroglu, Nedim Murat Cuneyt Gulaldi, Sule Yesil, Ali Fettah, Burcak Bilgin Kurucu, Emre Capkinoglu, Ozcan Erel, Gurses Sahin; Ankara, Turkey
- 330 Determination of the Normal Anal Location in Neonates: A Prospective Cross-Sectional Study**
Sinan Tufekci, Ebru Yesildag; Tekirdag, Turkey
- 335 Are Preoperative Systemic Immune Index and Neutrophil-to-Lymphocyte Ratio Sufficient to Predict Lymph Node Positivity and Overall Survival in Muscle-Invasive Bladder Cancer Cases?**
Turev Demirtas, Sevket Tolga Tombul, Gokhan Sonmez, Abdullah Demirtas; Kayseri, Turkey
- 340 Low Serum Magnesium Level Can be a Risk Factor for Retinopathy in Diabetic Patients: A Cross-Sectional Controlled Study**
Mehmet Bankir, Nedime Sahinoglu Keskek, Tayyibe Saler, Sakir Ozgur Keskek, Selim Cevher; Adana, Antalya, Corum, Turkey
- 345 Could the ABO Blood Group Types be Associated with COVID-19 Mortality?**
Sema Alacam, Nagehan Didem Sari; Istanbul, Turkey

Case Report

- 350 A Case of Pica with Motor-Mental Retardation and with Foreign Bodies in the Larynx and Gastrointestinal Tract: Autopsy Results and Current Literature Review**
Omer Faruk Aykir, Ferhan Kandemir, Mehmet Sunay Yavuz, Ufuk Akin, Zehra Zerrin Erkol; Manisa, Kutahya, Bolu, Turkey